# SilverScreen by Verosol

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 12 24 3.00 Furnishings: Roller Window Shades

PRODUCT DESCRIPTION: SilverScreen 202 and 205. Metallized Screen fabric for roller blinds / roller shades. Combines a very high reflectance of heat from sunlight with a good (one-way) view through. Provides heat insulation thanks to the low-E coating. Made out of phthalate-free PVC-coated glass fiber yarns. Flame retardant.



## Section 1: Summary

## **Basic Method / Product Threshold**

	JTFI			

Inventory Reporting Format	
Nested Materials Method     Basic Method	
Threshold Disclosed Per	
• Product	

Threshold level
<b>⊙</b> 100 ppm
C 1,000 ppm

Per GHS SDS

Per OSHA MSDS

C Other

### Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SILVERSCREEN [ PVC RELATED POLYMERS NoGS GLASS FILAMENTS NoGS 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK POLYURETHANE LT-P1 BARIUM ZINC COMPLEX Nogs antimony trioxide BM-1 | CAN | MUL ALUMINUM LT-P1 | RES | PHY | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

Blind / Shading fabric based on a woven structure of PVC-coated glass fibers with a reflective aluminum coating. SilverScreen is compliant to: REACH, Greenguard Gold, ISO14001 and RoHS2.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

#### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: ROHS 2-2011/65/EU Restriction of Hazardous Substances

Directive

Multi-attribute: REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

Management: ISO 14001:2004 Environmental management systems

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VFRIFIFR:

VERIFICATION #:

SCREENING DATE: 2018-12-14 PUBLISHED DATE: 2018-12-14 EXPIRY DATE: 2021-12-14



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### **SILVERSCREEN**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Residuals common for plasticized PVC are not considered.

OTHER PRODUCT NOTES: n.a.

PVC RELATED POLYMERS  ID: Not registered					
HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2018-12-14				
%: <b>40.0000 - 60.0000</b>	GS: <b>NoGS</b>	RC: UNK	nano: <b>No</b>	ROLE: Yarn coating	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: polymer					

GLASS FILAMENTS				ID: Not registered
HAZARD SCREENING METHOD: Ph	HAZARD SCREENING DATE: 2018-12-14			
%: 30.0000 - 40.0000	GS: <b>NoGS</b>	RC: UNK	nano: <b>No</b>	ROLE: Core of coated yarns
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
	No hazards found			
SUBSTANCE NOTES: Continuou	us filament glass fiber, diameter > 6 micro	n.		

#### **LINEAR** HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-12-14 %: 10.0000 - 20.0000 GS: LT-UNK RC: None nano: **No** ROLE: Plasticizer HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No hazards found

ID: 68515-45-7

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl

Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65).

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 1.0000 - 5.0000

GS: LT-P1

RC: None

NANO: No

ROLE: Finishing

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Polyurethane Dispersion

BARIUM ZINC COMPLEX						
HAZARD SCREENING METHOD: PI	HAZARD SCREENING DATE: 2018-12-14					
%: 1.0000 - 3.0000	GS: <b>NoGS</b>	RC: None	nano: <b>No</b>	ROLE: Heat Stabilizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	No hazards found					
SUBSTANCE NOTES: <b>none</b>						

ANTIMONY TRIOXIDE		ID: <b>13</b> (	09-64-4	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-14		
%: 1.0000 - 10.0000	gs: <b>BM-1</b>	RC: None NANO: No ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
MULTIPLE ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic man	for	
CANCER	Japan - GHS	Carcinogenicity - Category 1B		

SUBSTANCE NOTES: The Antimony Trioxide is bonded with the coating. Any associated health risks are based on contact with the powder

form during manufacture of the raw ingredient.

**ALUMINUM** ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING DATE: 2018-12-14			
%: 0.1000 - 0.5000	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	ROLE: reflective coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	SS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to		ntaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potenti	al Endocrine Dis	ruptor

SUBSTANCE NOTES: High purity metallic aluminum coating applied by Physical Vapor Deposition. Adhesion according to ISO 2409 classification 0 (no detachment of coating)



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2008-

**EXPIRY DATE: 2019-**

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All

09-15

09-15

EXPIRY DATE:

CERTIFICATE URL: https://spot.ul.com/

CERTIFICATION AND COMPLIANCE NOTES: Certificate 5451-420

#### **MULTI-ATTRIBUTE**

#### ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CERTIFYING PARTY: Self-declared

**ISSUE DATE: 2016-**03-23

CERTIFIER OR LAB: none

APPLICABLE FACILITIES: all

CERTIFICATE URL:

**CERTIFICATION AND COMPLIANCE NOTES:** 

## **MULTI-ATTRIBUTE**

REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: all

06-19

ISSUE DATE: 2018-

**ISSUE DATE: 2018-**

EXPIRY DATE: CERTIFIER OR LAB: none

CERTIFICATE URL: https://echa.europa.eu

**CERTIFICATION AND COMPLIANCE NOTES:** 

### **MANAGEMENT**

#### ISO 14001:2004 Environmental management systems

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: all

02-01

EXPIRY DATE: 2019-

02-01

CERTIFIER OR LAB: Tuv Rheinland

CERTIFICATE URL: https://www.tuv.com

**CERTIFICATION AND COMPLIANCE NOTES:** 



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### **MAINTENANCE**

HPD URL: https://verosol.com/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Maintenance: Dust can be removed with a soft feather duster or by vacuum-cleaning with a soft brush at lowest position. When intensive cleaning is required, the coloured side can be cleaned with a wet cloth.



SilverScreen distinguishes itself from competitor products with: - highest solar reflectance - low-E coating - great performance - clear view-through and robust look and feel - high energy saving potential and visual comfort. - meets the highest fire safety standards

#### MANUFACTURER INFORMATION

MANUFACTURER: Verosol

ADDRESS: Kiefte 18

CONTACT NAME: Robert Kuipers

TITLE: manager R&D PHONE: +31545463333

EMAIL: r.kuipers@verosol.com

Eibergen Gelderland 7151HZ, The Netherlands

WEBSITE: www.verosol.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial)

**PostC** Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.